


PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : C11B 9/00, A61K 7/46	A2	(11) International Publication Number: WO 94/13766 (43) International Publication Date: 23 June 1994 (23.06.94)
(21) International Application Number: PCT/EP93/03548 (22) International Filing Date: 9 December 1993 (09.12.93) (30) Priority Data: 92203880.7 11 December 1992 (11.12.92) NL (71) Applicant (for all designated States except US): QUEST INTERNATIONAL B.V. [NL/NL]; Huizerstraatweg 28, NL-1411 GP Naarden (NL). (72) Inventor; and (75) Inventor/Applicant (for US only): BAKKER, Pieter [NL/NL]; Wildweg 8, NL-1272 AK Huizen (NL). (74) Agent: UNILEVER N.V.; Patent Division, P.O. Box 137, NL-3130 AC Vlaardingen (NL).	(81) Designated States: AT, AU, BB, BG, BR, BY, CA, CH, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK, LU, LV, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published Without international search report and to be republished upon receipt of that report.	
(54) Title: DIMETHYL-CYCLOHEXANECARBOXYLIC ACID ESTERS IN PERFUMERY		
(57) Abstract		
The invention concerns perfumes containing as fragrance materials 1,4-dimethyl-cyclohexane-1-carboxylic acid esters of general formula (I) wherein R is an alk(en)yl group having 1-4 carbon atoms, preferably R(1,3)methyl. The fragrance materials have very agreeable fresh herbal odours with green and floral notes.		 (I)

BEST AVAILABLE COPY

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

Dimethyl-cyclohexanecarboxylic acid esters in perfumery.

The present invention relates to the use of certain dimethyl-cyclohexanecarboxylic acid esters as fragrance materials and to perfumes and perfumed products containing these compounds.

5

Many synthetic perfume components have been developed, especially in the last decades to substitute known perfume materials of natural origin. Nevertheless there is a constant need for new synthetic perfume components which are
10 more stable than those previously developed and/or have additional or more delicate odour notes to further complete the fragrance palette from which the perfumer can chose in composing perfumes which are suitable also for various aggressive environments.

15

Various substituted cyclohexene- and cyclohexadiene-carboxylic acid esters are known as fragrance materials in the art of perfumery. The majority of them are of the 2,6,6-trimethyl- or the 2-ethyl-6,6-dimethyl-substituted type and
20 were developed in analogy to various compounds found in nature possessing the 2,6,6-trimethylcyclohexene moiety. Such compounds, with the double bond in the 1- or 2-position and sometimes containing an additional methyl group in the 3-position are described e.g. in EP-A-0 056 109,
25 GB 1 497 498 and US 4,375,001 and various other patents and patent applications mentioned therein. In EP-A-0 053 704 corresponding 2,3,6,6-tetramethyl- and 2-ethyl-6,6-dimethyl-cyclohexane-1-carboxylic acid esters are described. Thus, these compounds are all heavily substituted with methyl and
30 ethyl groups. The odours reported may vary considerably although in many cases fruity and floral, especially rose-like dours are reported.

In EP-A-0 199 330 1,4,6-trimethylcyclohex-3-ene derivatives,
35 including methyl 1,4,6-trimethylcyclohex-3-ene-1-

carboxylate, are reported to be of use in perfumery. They appear to have mostly herbal woody, even patchouli-like, odours and thus appear to be distinctly different in odour character from the 2,6,6- and 2,3,6,6-substituted
5 cyclohexenecarboxylic acid esters reported above. In EP-A-0 199 330 this is attributed to the presence of the quaternary carbon atom in the 1-position. Nevertheless, methyl 1-methylcyclohex-3-ene-1-carboxylate, which is marketed as a fragrance material, has a predominantly fruity
10 odour, which seems to be in contradiction with this rule.

Ethyl 2,4-dimethyl-cyclohexane-1-carboxylate, on the other hand, is also marketed as a fragrance material, but with a distinctly floral odour.

15

Methyl and butyl 1,4-dimethylcyclohex-3-ene-1-carboxylate stereoisomers have been described in CH-A-680 853. The (-)-S methylester is described to have a rather uninteresting herbal, humus and woody and also slightly chemical type of
20 odour whereas the (+)-R isomer has an agreeable fresh fruity-menthol-anis-like odour. The racemic mixture is described as being spoiled from a perfumery point of view by the odour contribution of the (-)-S isomer.

25 Finally, in US 4,392,976 4-methyl-cyclohex-3-ene-1-carboxylic acid is reported to have a cumin-like odour. No mention is made of any esters of this acid.

It has now been found that 1,4-dimethylcyclohexane-
30 1-carboxylic acid esters of the general formula:



35 wherein R is an alk(en)yl group having 1-4 carbon atoms, are valuable fragrance materials having very agreeable fresh herbal odours with green and floral notes. The methyl esters are especially preferred. Although the methyl esters are known as such, e.g. from H. van Bekkum et al, Recl. Trav.

Chim. Pays-Bas, 88(3) 301-6, 1969 and from W.G. Schindel, R.E. Pincock, J. Org. Chem., 35960, 1789-94, 1970, no mention is made of any organoleptic property.

- 5 The compounds may be prepared by methods known in the art, particularly by Diels-Alder reaction of the corresponding methacrylate ester with isoprene, followed by hydrogenation and separation of the 1,3-dimethyl from the 1,4-dimethyl esters. A mixture of cis-dimethyl and trans-dimethyl esters
10 is thus obtained which may be separated into its components by methods described in the art, e.g. by W.G. Schindel, vide supra. Also the racemic mixture obtained may be separated according to methods known in the art e.g. as described in CH-A-680 853 above. However, contrary to what is described
15 therein, for the use of the compounds of this invention as fragrance material such separations are superfluous.

The esters according to the invention may be used as such to give various odour notes of the floral, green and fruity
20 type to all sort of products, or they may be incorporated in perfumes. For the purposes of this invention a perfume is defined as a mixture of various fragrance materials, if desired dissolved in a suitable solvent or mixed with a solid substrate, which is used to provide a desired odour to
25 the skin or to all sorts of products. Examples of such perfumed products are: fabric washing powders and liquids and other fabric care products; detergents and household cleaning, scouring and disinfection products; air fresheners, room sprays and pomanders; candles; soaps,
30 shampoos and other personal cleaning products; cosmetics such as creams, ointments, toilet waters, preshave-, aftershave- and other lotions, talcum powders, body deodorants and antiperspirants.

- 35 Known fragrance materials which may be advantageously combined with the esters according to the invention may be natural products such as extracts, essential oils, absolutes, resinoids, resins, concretes etc., but also synthetic materials such as hydrocarbons, alcohols,

aldehydes, ketones, ethers, acids, esters, acetals, ketals, nitriles, etc., including saturated and unsaturated compounds, aliphatic, carbocyclic and heterocyclic compounds. Such fragrance materials are mentioned, for example, in S. Arctander, Perfume and Flavor Chemicals (Montclair, N.J., 1969), in S. Arctander, Perfume and Flavor Materials of Natural Origin (Elizabeth, N.J., 1960) and in "Flavor and Fragrance Materials - 1991", Allured Publishing Co. Wheaton, Ill. USA.

10

Examples of fragrance materials which can be used in combination with the esters according to the invention are: geraniol, geranyl acetate, linalol, linalyl acetate, tetrahydrolinalol, citronellol, citronellyl acetate, 15 dihydromyrcenol, dihydromyrcenyl acetate, tetrahydro-myrcenol, terpineol, terpinyl acetate, nopol, nopyl acetate, 2-phenylethanol, 2-phenylethyl acetate, benzyl alcohol, benzyl acetate, benzyl salicylate, styrallyl acetate, benzyl benzoate, amyl salicylate, dimethylbenzyl carbinol, 20 trichloromethylphenylcarbinyl acetate, p-tert-butyl cyclohexyl acetate, isononyl acetate, vetiveryl acetate, vetiverol, α -hexylcinnamaldehyde, 2-methyl-3-(p-tert-butylphenyl)propanal, 2-methyl-3-(p-isopropylphenyl)propanal, 3-(p-tert-butylphenyl)-propanal, tricyclodecenyl acetate, 25 tricyclodecenyl propionate, 4-(4-hydroxy-4-methyl-pentyl)-3-cyclohexenecarbaldehyde, 4-(4-methyl-3-pentenyl)-3-cyclohexenecarbaldehyde, 4-acetoxy-3-pentyltetrahydropyran, 3-carboxymethyl-2-pentylcyclopentane, 2-n-heptylcyclopentanone, 3-methyl-2-pentyl-2-cyclopentenone, 30 n-decanal, n-dodecanal, 9-decenol-1, phenoxyethyl isobutyrate, phenyl-acetaldehyde dimethylacetal, phenyl-acetaldehyde diethylacetal, geranyl nitrile, citronellyl nitrile, cedryl acetate, 3-isocamphylcyclohexanol, cedryl methyl ether, isolongifolanone, aubepine nitrile, aubepine, 35 heliotropin, coumarin, eugenol, vanillin, diphenyl oxide, hydroxycitronellal, ionones, methylionones, isomethyl-ionones, irones, cis-3-hexenol and esters thereof, indan musks tetralin musks isochroman musks macrocyclic ketones, macrolactone musks ethylene brassylate, aromatic nitromusks.

Solvents which can be used in perfume compositions which contain compounds according to the invention are, for example: ethanol, isopropanol, diethylene glycol monoethyl ether, dipropylene glycol, diethyl phthalate, triethyl
5 citrate, etc.

The quantities in which the esters according to the invention can be used in perfumes or in products to be perfumed may vary within wide limits and depend, inter alia,
10 on the nature of the product, on the nature and the quantity of the other components of the perfume in which the compounds are used and on the olfactive effect desired. It is therefore only possible to specify wide limits, which, however, provide sufficient information for the specialist
15 in the art to be able to use the esters according to the invention for his specific purpose. In perfumes an amount of 0.01% by weight or more of the esters according to the invention will generally have a clearly perceptible olfactive effect. Preferably the amount is 0.1% by weight
20 and may be up to 80% by weight. The amount of esters according to the invention present in products will generally be at least 0.5 ppm by weight.

The following examples are only intended to illustrate the
25 preparation and use of the esters according to the invention, but the invention is not in any way limited thereto

30 EXAMPLE 1

Synthesis of methyl 1,4-dimethylcyclohexane-1-carboxylates

A mixture of methyl methacrylate (135g; 1.4 mol) and
35 isoprene (137g; 2.0 mol) in a pressurized reaction vessel was quickly heated to 250°C, kept at that temperature for 100 minutes and quickly cooled to room temperature. The crude reaction mixture obtained (270g) comprised 75% of the

cyclohexene-carboxylates and only minor amounts of starting materials.

This mixture was hydrogenated at 100°C and atmospheric pressure using about 200mg 5% palladium on carbon as a catalyst. The dimethyl-cyclohexane-carboxylates in the crude reaction mixture after hydrogenation consisted of 23% 1,3-dimethyl- and 77% 1,4-dimethyl isomers. This mixture was carefully fractionated under reduced pressure yielding 94g (35%) of perfumery grade product (Bpt. 85-87°C at 2kPa).
10 This product consisted of 17% 1,3-dimethyl isomers, 51.5% trans-1,4-dimethyl isomer and 31.5% cis-1,4-dimethyl isomer.

EXAMPLE 2

15

A herbaceous floral perfume for use in household products at 0.2% was prepared according to the following recipe.

• Iso bornyl acetate	40.0
20 Iso-longifolanone (Q)	11.0
• Dihydromyrcenol (Q)	7.0
Jasmacyclene (Q)	6.0
Linalyl acetate	6.0
• Acetyl cedrene (Q)	5.0
25 Benzyl acetate	4.0
Geranyl acetate	4.0
• β-Phenoxyethyl isobutyrate (Q)	4.0
Linalool	3.5
Camphor powder	3.0
30 Patchouli acid washed (Q)	2.0
Dipropylene glycol	1.5
Olibanum oil	1.0
Methyl 1,4-dimethylcyclo-hexane-1-carboxylate	<u>2.0</u>
Total:	100

35 The addition of Methyl 1,4-dimethylcyclo-hexane-1-carboxylate makes the odour of the perfume much more sophisticated by adding a more rounded herbal character.

(Q) marketed by Quest International, Ashford, Kent, UK.

CLAIMS

1. Perfumes characterized in that they comprise at least one 1,4-dimethylcyclohexane-1-carboxylic acid ester according to the general formula:



wherein R is an alk(en)yl group having 1-4 carbon atoms.

2. Perfumes according to claim 1 characterized in that R is a methyl group.
3. Perfumes according to claims 1 or 2 characterized in that the amount of 1,4-dimethylcyclohexane-1-carboxylic acid ester is at least 0.1% by weight.
4. Perfumed products characterized in that they comprise at least one 1,4-dimethylcyclohexane-1-carboxylic acid ester according to the general formula:



wherein R is an alk(en)yl group having 1-4 carbon atoms.

5. Perfumed products according to claim 4 characterized in that R is a methyl group.
6. Perfumed products according to claims 4 or 5 characterized in that the amount of 1,4-dimethylcyclohexane-1-carboxylic acid ester is at least 0.5 ppm by weight.

7. Process for preparing perfumed products characterized in that a perfume according to anyone of claims 1-3 is added to the product.

PCT

WORLD INTELLECTUAL
PROPERTY ORGANIZATION

INTERNATIONAL APPLICATION PUBLISHED

WO 9413766A3

(51) International Patent Classification 5 :

C11B 9/00, A61K 7/46

A3

(43) International Publication Date:

23 June 1994 (23.06.94)

(21) International Application Number: PCT/EP93/03548

(22) International Filing Date: 9 December 1993 (09.12.93)

(30) Priority Data:

92203880.7

11 December 1992 (11.12.92) NL

(71) Applicant (for all designated States except US): QUEST
INTERNATIONAL B.V. [NL/NL]; Huizerstraatweg 28,
NL-1411 GP Naarden (NL).

(72) Inventor; and

(75) Inventor/Applicant (for US only): BAKKER, Pieter [NL/NL];
Wildweg 8, NL-1272 AK Huizen (NL).(74) Agent: UNILEVER N.V.; Patent Division, P.O. Box 137, NL-
3130 AC Vlaardingen (NL).(81) Designated States: AT, AU, BB, BG, BR, BY, CA, CH, CZ,
DE, DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK, LU, LV,
MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE,
SK, UA, US, UZ, VN, European patent (AT, BE, CH, DE,
DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI
patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE,
SN, TD, TG).

Published

With international search report.

(88) Date of publication of the international search report:

1 February 1996 (01.02.96)

(54) Title: DIMETHYL-CYCLOHEXANECARBOXYLIC ACID ESTERS IN PERFUMERY

(57) Abstract

The invention concerns
perfumes containing as
fragrance materials 1,4-dimethyl-
cyclohexane-1-carboxylic acid
esters of general formula (I)
wherein R is an alk(en)yl
group having 1-4 carbon atoms,
preferably R is (1,3)methyl. The fragrance materials have very agreeable fresh herbal odours with green and floral notes.



(I)

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 93/03548

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 5 C11B9/00 A61K7/46

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 5 C11B A61K C07C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP,A,0 199 330 (CONSORTIUM FUR ELEKTROCHEMISCHE INDUSTRIE) 29 October 1986 cited in the application see claims; examples 11,12 ---	1-7
A	EP,A,0 073 984 (L.GIVAUDAN) 16 March 1983 see claims see page 3; figure II ---	1-7
A	EP,A,0 056 109 (FIRMENICH) 21 July 1982 cited in the application see claims see page 1; figure I ---	1-7
A	EP,A,0 110 362 (L.GIVAUDAN) 13 June 1984 see claim 1 ---	1-7
-/--		

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

A document member of the same patent family

Date of the actual completion of the international search

16 June 1994

Date of mailing of the international search report

27. 06. 94

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax (+31-70) 340-3016

Authorized officer

Van Moer, A

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP 93/03548

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP,A,0 053 704 (L.GIVAUDAN) 16 June 1982 cited in the application see claims ---	1-7
A	EP,A,0 021 100 (L.GIVAUDAN) 7 January 1981 see claims & US,A,4 375 001 (...) cited in the application ---	1-7
A	EP,A,0 002 510 (L.GIVAUDAN) 27 June 1979 see claims ---	1-7
A	CH,A,680 853 (FIRMENICH) 30 November 1992 cited in the application see claims ---	1-7
A	FR,A,2 327 226 (L.GIVAUDAN) 6 May 1977 see claims 3-5 see page 1; figure I & GB,A,1 497 498 (...) cited in the application ---	1-7
A	US,A,4 392 976 (N.CALDERONE ET AL.) 12 July 1983 cited in the application see claims -----	1-7

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/EP 93/03548

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A-0199330	29-10-86	DE-A- 3514665	30-10-86
		JP-C- 1504909	13-07-89
		JP-A- 61249942	07-11-86
		JP-B- 63039576	05-08-88
		US-A- 4704477	03-11-87
EP-A-0073984	16-03-83	DE-A- 3278403	01-06-88
		JP-C- 1595628	27-12-90
		JP-B- 2021440	14-05-90
		JP-A- 58057314	05-04-83
		US-A- 4496476	29-01-85
		US-A- 4669490	02-06-87
EP-A-0056109	21-07-82	JP-A- 57139010	27-08-82
		US-A- 4411829	25-10-83
EP-A-0110362	13-06-84	US-A- 4606925	19-08-86
		DE-A- 3376338	26-05-88
		JP-B- 4076660	04-12-92
		JP-A- 59130162	26-07-84
		US-A- 4786332	22-11-88
EP-A-0053704	16-06-82	US-A- 4439353	27-03-84
		JP-C- 1636424	31-01-92
		JP-B- 2062542	26-12-90
		JP-A- 57126448	06-08-82
EP-A-0021100	07-01-81	CA-A- 1142955	15-03-83
		US-A- 4375001	22-02-83
		US-A- 4474687	02-10-84
		US-A- 4570648	18-02-86
		JP-C- 1417718	22-12-87
		JP-A- 56002933	13-01-81
		JP-B- 62025135	01-06-87
US-A-4375001	22-02-83	CA-A- 1142955	15-03-83
		EP-A, B 0021100	07-01-81
		US-A- 4474687	02-10-84
		US-A- 4570648	18-02-86
		JP-C- 1417718	22-12-87

INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No
PCT/EP 93/03548

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US-A-4375001		JP-A- 56002933 JP-B- 62025135	13-01-81 01-06-87
EP-A-0002510	27-06-79	LU-A- 78670 CA-A- 1116180 JP-C- 1393604 JP-A- 54095547 JP-B- 62000898 US-A- 4375428 US-A- 4277618	20-07-79 12-01-82 11-08-87 28-07-79 10-01-87 01-03-83 07-07-81
CH-A-680853	30-11-92	JP-A- 4226943	17-08-92
FR-A-2327226	06-05-77	CH-A- 615827 DE-A, C 2644762 GB-A- 1497498 JP-C- 1147080 JP-A- 52046052 JP-B- 57036892 NL-A- 7611098 US-A- 4113663	29-02-80 21-04-77 12-01-78 12-05-83 12-04-77 06-08-82 13-04-77 12-09-78
GB-A-1497498	12-01-78	CH-A- 615827 DE-A, C 2644762 FR-A, B 2327226 JP-C- 1147080 JP-A- 52046052 JP-B- 57036892 NL-A- 7611098 US-A- 4113663	29-02-80 21-04-77 06-05-77 12-05-83 12-04-77 06-08-82 13-04-77 12-09-78
US-A-4392976	12-07-83	US-A- 4442012	10-04-84

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.